

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of June 30, 2004  
Pemberton Boro/Township Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	12	23	0	.	12	23
AIDS-CD4 Only	18	34	0	.	18	34
HIV Only	23	43	0	.	23	43
-----	-----	---	-----	---	-----	---
Total	53	100	0	.	53	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	16	30	0	.	16	30
5-12	0	0	Black, Not Hispanic	28	53	0	.	28	53
13-19	#	#	Hispanic	9	17	0	.	9	17
20-29	#	#	Other/Unknown	0	0	0	.	0	0
30-39	14	26	-----	-----	---	-----	---	-----	---
40-49	24	45	Total	53	100	0	.	53	100
50+	10	19							
Unk.	0	0							
-----	-----	---							
Total	53	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	14	48	0	0	14	27
Injection drug user (IDU)	#	#	#	#	15	29
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	10	20
-----	-----	---	-----	---	-----	---
Total	29	100	22	100	51	100

  

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of June 2004.

\*\* # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Pemberton Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	( #)	#	( #)	#	( #)	17	( 22)
Other OI w/o PCP	#	( #)	#	( #)	#	( #)	27	( 36)
KS Alone	0	( 0)	0	( .)	0	( .)	0	( 0)
No Disease Listed	32	( 44)	14	( 45)	0	( .)	32	( 42)
Total	73	(100)	44	( 61)	#	( #)	76	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	26	34
5-12	0	0	Black, Not Hispanic	#	#	#	#	41	54
13-19	#	#	Hispanic	9	12	0	0	9	12
20-29	12	16	Other/Unknown	0	0	0	0	0	0
30-39	36	47							
40-49	14	18	Total	73	100	#	#	76	100
Over 49	10	13							
Unknown	0	0							
Total	76	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	19	37	0	0	19	26
Injection drug user (IDU)	19	37	7	33	26	36
MSM/IDU	5	10	0	0	5	7
Heterosexual contact	#	#	#	#	10	14
Risk not reported/other***	#	#	#	#	12	17
Total	51	100	21	100	72	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	#	#	0	0	#	#
Total	#	#	#	#	#	#

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* # patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Pemberton Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	#	#	#
1989	#	#	#
1990	#	#	#
1991	5	#	#
1992	13	7	54%
1993	11	6	55%
1994	#	#	#
1995	#	#	#
1996	7	5	71%
1997	#	#	#
1998	#	#	#
1999	8	#	#
2000	#	#	#
2001	#	#	#
2002	#	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	76	46	61%